



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

## MATERIAL SAFETY DATA SHEET

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

- CHEMICAL NAME SUCRALOSE; 4,1,6-TRICHLORO-GALACTO-SUCROSE
- REACH REGISTRATION NUMBER PENDING DUE BY 2018

#### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE AND USES ADVISED AGAINST DRY FOOD INGREDIENT.

#### 1.3 DETAILS OF THE SUPPLIER

- COMPANY IDENTIFICATION  
ANHUI JINHE INDUSTRIAL CO., LTD.  
127 EAST LAIAN COUNTY , ANHUI, P.R. CHINA

#### 1.4 EMERGENCY PHONE NR. CHEMTREC

+0086 550 5619090

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

ACCORDING WITH THE VERSION OF THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING

ADOPTED IN THE UNITED STATES AND REGULATION 1272/2008/EC [CLP]: NOT CLASSIFIED

#### 2.2. LABEL ELEMENTS

SIGNAL WORD:

NOT APPLICABLE

HAZARD STATEMENTS:

NOT APPLICABLE

SYMBOL:

NOT APPLICABLE

PRECAUTIONARY STATEMENTS:

NOT APPLICABLE

#### 2.3. OTHER HAZARDS

FIRE AND EXPLOSION HAZARD:

MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR. POSSIBILITY OF DUST EXPLOSION.  
IT IS

RECOMMENDED THAT ALL DUST CONTROL EQUIPMENT AND MATERIAL TRANSPORT SYSTEMS INVOLVED ARE

ENGINEERED TO PREVENT CONDITIONS CONTRIBUTING TO DUST EXPLOSIONS. DO NOT ALLOW DUST TO



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

ACCUMULATE ON FLAT SURFACES, ON RAFTERS OR BUILDING STRUCTURAL COMPONENTS.  
KEEP AWAY FROM ALL

IGNITION SOURCES INCLUDING HEAT, SPARKS AND FLAME.

POTENTIAL ACUTE HEALTH EFFECTS FROM OCCUPATIONAL EXPOSURE:

INHALATION: EXPOSURE TO HIGH AIRBORNE CONCENTRATIONS MAY CAUSE MILD  
RESPIRATORY IRRITATION DUE

TO DRYING EFFECTS OF DUST.

SKIN CONTACT: SUSTAINED EXPOSURE IN A DUSTY MANUFACTURING ENVIRONMENT MAY  
RESULT IN MECHANICAL

IRRITATION IN THE CREASES OF THE SKIN, PARTICULARLY AT THE FINGERS.

NO HEALTH EFFECTS KNOWN OR ANTICIPATED.

EYE CONTACT: MAY CAUSE SLIGHT MECHANICAL IRRITATION FROM ACUTE EXPOSURE.

INGESTION: NO EFFECTS KNOWN OR ANTICIPATED.

## SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS

- CHEMICAL NAME SUCRALOSE; 4,1,6-TRICHLORO-GALACTO-SUCROSE
- CAS NUMBER 56038-13-2
- EINECS NUMBER 259-952-2

## SECTION 4: FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

- GENERAL ADVISE SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS AFTER FIRST AID APPLICATION
- INHALATION MOVE PEOPLE FROM THE EXPOSURE TO FRESH AIR.
- SKIN CONTACT WASH SKIN WITH SOAP AND WATER.
- EYE CONTACT REMOVE PARTICULATES BY IRRIGATING WITH EYE WASH SOLUTION OR CLEAN WATER, HOLDING EYELIDS APART.
- INGESTION WASH MOUTH AND FLUSH THROAT UPTO THE STOMACH.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

NONE ANTICIPATED

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED.

NONE ANTICIPATED

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

WATER SPRAY, DRY POWDER, CARBON DIOXIDE OR MEDIA APPROPRIATE FOR SURROUNDING FIRE. USE OF WATER JET MAY CAUSE EXPLOSIVE DUST CONDITIONS.

### 5.2 SPECIFIC HAZARDS

FIRE AND EXPLOSION HAZARD: POSSIBILITY OF DUST EXPLOSION. IT IS RECOMMENDED THAT ALL DUST CONTROL EQUIPMENT AND MATERIAL TRANSPORT SYSTEMS INVOLVED ARE ENGINEERED TO PREVENT CONDITIONS CONTRIBUTING TO DUST EXPLOSIONS. DO NOT ALLOW



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

DUST TO ACCUMULATE ON FLAT SURFACES, ON RAFTERS OR BUILDING STRUCTURAL COMPONENTS. USE OF WATER JET MAY CAUSE EXPLOSIVE DUST CONDITIONS. SEE NFPA 61, STANDARD FOR THE PREVENTION OF FIRE AND DUST EXPLOSIONS IN AGRICULTURAL AND FOOD PROCESSING FACILITIES, 2008 OR LATER EDITION, AND OTHER RELATED STANDARDS. MINIMUM SPARK IGNITION ENERGY: 0.40 JOULES MINIMUM IGNITION TEMPERATURE: 390° C(734° F). MINIMUM EXPLOSION CONCENTRATION FOR DUST: 165G/M3 (0.165 OZ/FT3)(SIMILAR TO A DENSE FOG)

## 5.3 SPECIFIC PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. FLAMMABILITY CLASS (OSHA) NOT APPLICABLE HAZARDOUS COMBUSTION PRODUCTS CARBON DIOXIDE AND CARBON MONOXIDE

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 PERSONAL PRECAUTIONS

NONE UNDER NORMAL CONDITIONS. AVOID PROLONGED INHALATION OF DUST.

### 6.2 ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. NO SPECIAL ENVIRONMENTAL PRECAUTIONS REQUIRED

### 6.3 METHODS FOR CLEANING UP

VACUUM OR SWEEP SPILLS. MINIMIZE DUST GENERATION.

IF WASHING DOWN SPILLED AREA IS NECESSARY, USE COPIOUS AMOUNTS OF WATER AND CONTROL RUNOFF. FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS FOR PRODUCT DISPOSAL

### 6.4 REFERENCE TO OTHER SECTIONS

SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING

SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT

SEE SECTION 13 FOR DISPOSAL INFORMATION

## **SECTION 7: HANDLING AND STORAGE**

### 7.1 PRECAUTIONS FOR SAFE HANDLING

SEE NFPA 61, STANDARD FOR THE PREVENTION OF FIRE AND DUST EXPLOSIONS IN AGRICULTURAL AND FOOD PROCESSING FACILITIES, 2008 EDITION, AND OTHER RELATED STANDARDS. USE WITH ADEQUATE VENTILATION. MINIMIZE DUST GENERATION AND ACCUMULATION; DUST DEPOSITS SHOULD NOT BE ALLOWED TO ACCUMULATE ON SURFACES, AS THESE MAY FORM AN EXPLOSIVE MIXTURE IF THEY ARE DISTURBED. ALL DUST CONTROL EQUIPMENT AND MATERIAL TRANSPORT SYSTEMS INVOLVED ARE ENGINEERED TO PREVENT CONDITIONS CONTRIBUTING TO DUST EXPLOSIONS AND MAY REQUIRE EXPLOSION RELIEF VENTS OR AN EXPLOSION SUPPRESSION SYSTEM OR AN OXYGEN-DEFICIENT ENVIRONMENT. BONDING AND GROUNDING SYSTEMS MAY BE REQUIRED.

DUST-HANDLING SYSTEMS (SUCH AS EXHAUST DUCTS, DUST COLLECTORS, VESSELS, AND PROCESSING EQUIPMENT) SHOULD BE DESIGNED TO LIMIT OR PREVENT LEAKAGE OF DUST INTO THE WORK AREA. DO NOT ALLOW DUST TO ACCUMULATE ON FLAT SURFACES, ON RAFTERS OR



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

BUILDING STRUCTURAL COMPONENTS. ROUTINE HOUSEKEEPING SHOULD BE INSTITUTED TO REDUCE DUST ACCUMULATION. USE AVOID DISPERSAL OF DUST IN THE AIR; USE VACUUM OR WET SWEEPING METHODS. DO NOT USE COMPRESSED AIR TO CLEAN SURFACES. KEEP AWAY FROM ALL IGNITION SOURCES INCLUDING HEAT, SPARKS, AND FLAME. WHERE DUST ACCUMULATIONS OCCUR USE NON-SPARKING TOOLS.

## 7.2 CONDITIONS OF SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORE IN A COOL DRY PLACE. STORE IN A TIGHTLY CLOSED CONTAINER/BAG. THE PACKAGING MATERIAL SHOULD HAVE REASONABLE MOISTURE AND AIR BARRIERS AND COMPLY WITH FOOD REGULATIONS.

## 7.3 SPECIFIC END USE(S)

NOT APPLICABLE

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### 8.1 CONTROL PARAMETERS

EXPOSURE LIMITS: NUISANCE DUST (ALSO CALLED PARTICULATE NOT OTHERWISE REGULATED (PNOR)).

OSHA PEL: 15 MG/ MG/M3 TOTAL DUST

5 MG/M3 RESPIRABLE DUST

ACGIH TLV: 10 MG/M3 INHALABLE DUST

5 MG/M3 RESPIRABLE DUST

15 MG/M3 TOTAL DUST

### 8.2 EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS:

VENTILATION: SEE NFPA 61, STANDARD FOR THE PREVENTION OF FIRE AND DUST EXPLOSIONS IN AGRICULTURAL AND FOOD PROCESSING FACILITIES, 2008 EDITION, AND NATIONAL FIRE PROTECTION ASSOCIATION 650, STANDARD FOR PNEUMATIC CONVEYING SYSTEMS FOR HANDLING COMBUSTIBLE MATERIALS, 1997 EDITION AND OTHER RELATED STANDARDS. NORMAL INDUSTRIAL HYGIENE MEASURES SHOULD BE SUFFICIENT FOR PROTECTION OF EMPLOYEES FROM EXPOSURE TO DUSTS. LOCAL AND MECHANICAL EXHAUST IS DESIRABLE WHEN DUMPING BAGS. APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT: EYE PROTECTION: SAFETY GLASSES ARE RECOMMENDED. SAFETY GOGGLES ARE DESIRABLE WHEN DUMPING BAGS. EMERGENCY WASH FACILITIES: EYE WASH IS RECOMMENDED FOR CONDITIONS WHERE DUST GENERATION IS LIKELY. SPECIAL PROTECTIVE CLOTHING: NOT NORMALLY REQUIRED. GLOVES: NOT NORMALLY REQUIRED. USE ORDINARY WORK GLOVES IF DUST DRIES SKIN. RESPIRATOR: NIOSH APPROVED N-95 DUST RESPIRATOR IF WORKING IN SITUATIONS THAT COULD GENERATE LARGE AMOUNTS OF AIRBORNE DUST. FOR FIREFIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: SEE SECTION 5.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- PHYSICAL FORM POWDER
- COLOR WHITE TO OFF-WHITE
- ODOR PRACTICALLY ODORLESS
- PH (CONCENTRATION) NEUTRAL IN AQUEOUS SOLUTION
- BOILING POINT 130° C(266° F)WITH DECOMPOSITION
- FLASH POINT NO DATA
- MELTING/FREEZING POINT NO DATA
- DECOMPOSITION TEMPERATURE NO DATA
- AUTO-IGNITION TEMPERATURE NO DATA
- EXPLOSION PROPERTIES NO DATA
- OXIDISING PROPERTIES NO DATA
- VAPOUR PRESSURE <1 MMHG
- VAPOR DENSITY NO DATA
- RELATIVE DENSITY NO DATA
- BULK DENSITY NO DATA
- SPECIFIC GRAVITY NO DATA
- VISCOSITY NO DATA
- WATER SOLUBILITY COMPLETE 30% W/V AT 25° C (77° F)
- SOLUBILITY (NON AQUEOUS) NO DATA
- PARTITION COEFFICIENT NO DATA
- DISSOCIATION CONSTANT NO DATA
- EVAPORATION RATE NO DATA

## 9.2 OTHER INFORMATION

## **SECTION 10: STABILITY AND REACTIVITY**

### 10.1 REACTIVITY

STABLE

### 10.2 CHEMICAL STABILITY

SUCRALOSE, WHEN HEATED AT ELEVATED TEMPERATURES, MAY BREAK DOWN WITH THE RELEASE OF CARBON DIOXIDE, CARBON MONOXIDE AND MINOR AMOUNTS OF HYDROGEN CHLORIDE.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

NOT APPLICABLE

### 10.4 CONDITIONS TO AVOID

PRACTICES WHICH PRODUCE DUST OR DISPERSE FINELY DIVIDED DUST IN AIR. SEE NFPA 61. STANDARD FOR THE PREVENTION OF FIRE AND DUST EXPLOSIONS IN AGRICULTURAL AND FOOD PROCESSING FACILITIES, 2008 EDITION, AND OTHER RELATED STANDARDS.



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

## 10.5 INCOMPATIBLE MATERIALS

OXIDIZING AGENTS, STRONG ACIDS

## 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

NOTHING UNUSUAL

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- INHALATION EXPOSURE TO HIGH AIRBORNE CONCENTRATIONS MAY CAUSE MILD RESPIRATORY IRRITATION DUE TO DRYING EFFECTS OF DUST. ORAL: LD50 ORAL RAT LD50 > 10 G/KG; ORAL MOUSE LD50 > 16G/KG

- INGESTION NO EFFECTS KNOWN OR ANTICIPATED.

- SKIN IRRITATION / CORROSION SUSTAINED EXPOSURE IN A DUSTY MANUFACTURING ENVIRONMENT MAY RESULT IN MECHANICAL IRRITATION IN THE CREASES OF THE SKIN, PARTICULARLY AT THE FINGERS, OR OTHER DRYING EFFECTS. NO HEALTH EFFECTS KNOWN OR ANTICIPATED.

- EYE IRRITATION MAY CAUSE SLIGHT MECHANICAL IRRITATION FROM ACUTE EXPOSURE.

- SKIN SENSITISATION NOT SENSITIZING

- CHRONIC TOXICITY NOT KNOWN OR ANTICIPATED

- GENETIC TOXICITY NOT KNOWN OR ANTICIPATED

- CARCINOGENICITY NOT CLASSIFIABLE AS CARCINOGEN.

- REPROTOXICITY NOT KNOWN OR ANTICIPATED

- SPECIFIC EFFECTS NOT APPLICABLE

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1 TOXICITY

SUCRALOSE AND ITS BREAKDOWN PRODUCTS ARE NOT KNOWN TO BE TOXIC TO PLANT AND ANIMAL LIFE.

### 12.2 PERSISTENCE/DEGRADABILITY

READILY BIODEGRADABLE

### 12.3 BIOACCUMULATIVE POTENTIAL

SUCRALOSE AND ITS BREAKDOWN PRODUCTS ARE NOT FAT-SOLUBLE, AND DO NOT ACCUMULATE IN PLANT OR ANIMAL TISSUE.

### 12.4 MOBILITY IN SOIL

NOT APPLICABLE

### 12.5 BPT, VPVB

THE SUBSTANCE DOES NOT MEET THE CRITERIA FOR PBT OR VPVB.



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

## 12.6 OTHER ADVERSE EFFECTS

NONE KNOWN

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 WASTE TREATMENT METHODS

FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS FOR PRODUCT DISPOSAL. NOT A HAZARDOUS WASTE UNLESS CONTAMINATED WITH HAZARDOUS PRODUCTS.

## **SECTION 14: TRANSPORTATION INFORMATION**

INTERNATIONAL REGULATIONS (RID/ADR; RTMDR; IMDG; IATA/OACI): NOT CLASSIFIED AS DANGEROUS FOR TRANSPORT.

DOT SHIPPING LABEL: NON-HAZARDOUS

## **SECTION 15: REGULATORY INFORMATION**

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

ACCORDING WITH THE VERSION OF THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING ADOPTED IN THE UNITED STATES AND REGULATION 1272/2008/EC(CLP): NOT CLASSIFIED

### 15.2 CHEMICAL SAFETY ASSESSMENT

US FEDERAL REGULATIONS:

CLEAN AIR ACT:

ODS: NOT APPLICABLE.

SARA (EPCRA) SECTION 313 (40 C.F.R. § 372.65): NOT APPLICABLE.

TSCA STATUS: ON TSCA INVENTORY.

STATE REPORTING REQUIREMENTS:

CALIFORNIA PROPOSITION 65: NOT APPLICABLE.

## **SECTION 16: OTHER INFORMATION**

SEE HAZARD COMMUNICATION GUIDANCE FOR COMBUSTIBLE DUSTS, OSHA 3371-08 2009, U.S. OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION,

[HTTPS://WWW.OSHA.GOV/PUBLICATIONS/3371COMBUSTIBLE-DUST.HTML](https://www.osha.gov/publications/3371combustible-dust.html) (ACCESSED 10/8/14)

NFPA 654, STANDARD FOR THE PREVENTION OF FIRE AND DUST EXPLOSIONS FROM THE MANUFACTURING, PROCESSING, AND HANDLING OF COMBUSTIBLE PARTICULATE SOLIDS, FOR GENERAL SAFE HANDLING AND DESIGN GUIDANCE.

SAFETY DATA SHEET ACCORDING TO COMMISSION REGULATION (EU) NO 453/2010 OF 20 MAY 2010 AMENDING REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL



# Anhui Jinhe Industrial Co., Ltd

127 East Street, Laian County  
Chuzhou, Anhui, China, 239200  
Tel: +86-0550-5619090 Fax: +86-0550-5623638

ON THE REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS (REACH)

## DISCLAIMER OF LIABILITY

THE INFORMATION IN THIS SDS IS COLLECTED FROM RELIABLE SOURCES. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT MIGHT BE BEYOND OUR CONTROL AND KNOWLEDGE. FOR THE AVOIDANCE OF DOUBT, WE SHALL IN NO SUCH CIRCUMSTANCES BE UNDER ANY LIABILITY IN RESPECT OF LOSS, DAMAGE OR EXPENSES ARISING FROM HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT BY YOUR COMPANY AND/OR YOUR SUBCONTRACTORS. THIS SDS IS ONLY APPLICABLE FOR THE PRODUCT MENTIONED IN THE IDENTIFICATION CHAPTER AND TITLE. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS MAY NOT BE APPLICABLE ON THE COMPOSITE MATERIAL.

Quality Manager  
August 15th, 2019

